

SUMMARY FOR MARKET AREA: JOPLIN

MO

Total Access Lines in: JOPLIN Total = 2084

Percentage Availability of ONA Services By Date for JOPLIN Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
CNS	CFBL Intraswitch	Call Fwd Bsy Li - Fixed	73.1%	72.6%	72.3%	71.9%
CNS	CFBL Interswitch	Call Fwd Bsy Li - Fixed	73.1%	72.6%	72.3%	71.9%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	73.1%	72.6%	72.3%	71.9%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	73.1%	72.6%	72.3%	71.9%
CNS	CFDA Intraswitch	Cl Fwd-No Ans-Fixed	73.1%	72.6%	72.3%	71.9%
CNS	CFDA Interswitch	Cl Fwd-No Ans-Fixed	0.0%	0.0%	0.0%	0.0%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	73.1%	72.6%	72.3%	71.9%
CNS	CF - Variable	Variable Cl Fwd'g	73.1%	72.6%	72.3%	71.9%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	0.0%	0.0%	0.0%	0.0%
CNS	CF VAR - Remote Act/Cont	Remote Access-CF Variable	0.0%	0.0%	0.0%	0.0%
CNS	Call Waiting - Cancel	Cancel Call Waiting	73.1%	72.6%	72.3%	71.9%
CNS	Clg DA Deliv via BCLID	Clg No.ID Delivv CLASS	0.0%	0.0%	0.0%	0.0%
CNS	Customer Originated Trace	Call Tracing Service	0.0%	0.0%	0.0%	0.0%
CNS	Distinctive Ringing	VIP Alert	0.0%	0.0%	0.0%	0.0%
CNS	Dist Ring Term Screen	Smart Ring	73.1%	72.6%	72.3%	71.9%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	73.1%	72.6%	72.3%	71.9%
CNS	MWI-ATR Audible Msg Wtg	Receive Audible MWI	0.0%	0.0%	0.0%	0.0%
CNS	Selective Call Forward'g	Special Call Forwarding	0.0%	0.0%	0.0%	0.0%
CNS	Selective Call Rejection	Call Block	0.0%	0.0%	0.0%	0.0%
CNS	Speed Calling	Speed Clg - 8 & 30 Nos.	73.1%	72.6%	72.3%	71.9%
CNS		Busy Number Redial	0.0%	0.0%	0.0%	0.0%
CNS		Saved Number Redial	0.0%	0.0%	0.0%	0.0%
CNS		Last Number Redial	0.0%	0.0%	0.0%	0.0%
CNS	Call Waiting	Call Waiting	73.1%	72.6%	72.3%	71.9%
CNS	Three Way Calling	Three Way Calling	73.1%	72.6%	72.3%	71.9%
CNS	Remote Call Forwarding	Remote Call Forwarding	73.1%	72.6%	72.3%	71.9%
CNS		Cl1 Frwd'g Fixed-All clls	73.1%	72.6%	72.3%	71.9%
CNS	CFBL/DA	Cl1 Frwd Bsy No Ans.Fixed	73.1%	72.6%	72.3%	71.9%
CNS		Special Call Waiting	0.0%	0.0%	0.0%	0.0%
CNS		Special Call Acceptance	0.0%	0.0%	0.0%	0.0%
CNS		Anonymous Call Rejection	0.0%	0.0%	0.0%	0.0%
CNS	3rd No. Bllg Inhibited	Blld No. Screen'g (BNS)	73.1%	72.6%	72.3%	71.9%
CNS		Call Restriction Service	73.1%	72.6%	72.3%	71.9%
CNS		MWI Abl Rcv Adbl Rng Brst	0.0%	0.0%	0.0%	0.0%
CNS		GTE Dial Datalink	100.0%	100.0%	100.0%	100.0%
CNS		Cust.Controllable Ringing	73.1%	72.6%	72.3%	71.9%

SUMMARY FOR MARKET AREA: KALAMAZOO-BATTLE CRK MI

Total Access Lines in: KALAMAZOO-BATTLE CRK Total = 40114

Percentage Availability of ONA Services By Date for KALAMAZOO-BATTLE CRK Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	93.8%	93.9%	93.9%	93.9%
BSA	Type B - X.75 Pkt Sw	Pkt Sw Ntwk Svc	93.8%	93.9%	93.9%	93.9%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	93.2%	93.2%	93.2%	93.2%
BSA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	33.3%	33.3%	33.3%	33.3%
BSA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	28.6%	28.6%	28.5%	28.5%
BSA	Dedicated Alert Transport	Alarm Signal	83.0%	83.1%	83.1%	83.1%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	Type K - Ded 64kbps	Digital Data Svc DDS	0.0%	0.0%	0.0%	0.0%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw	100.0%	100.0%	100.0%	100.0%
BSE	Fast Select Accept Pkt	Fast Select	93.8%	93.9%	93.9%	93.9%
BSE	Fast Select Request Pkt	Fast Select	93.8%	93.9%	93.9%	93.9%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Cld DN Deliv via DID	Direct Inward Dialing	20.0%	19.8%	25.2%	25.1%
BSE	Cllg Bllg Num Deliv PG B	Automatic No. ID	20.0%	19.8%	25.2%	25.1%
BSE	Cllg Bllg Num Deliv PG D	Automatic No. ID	24.4%	29.1%	34.3%	34.2%
BSE	Cllg DA Deliv via BCLID	Clg No.ID Deliv CLASS	47.5%	52.3%	57.6%	57.6%
BSE	CXR Select On Rvse Charg	800 Service	20.0%	19.8%	25.2%	25.1%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	47.5%	52.3%	57.6%	57.6%
BSE	MWI- Activation Audible	MWI Audible	27.5%	32.4%	37.9%	37.9%
BSE	Multiline Hunt Group	Hunt Group Arrangement	47.5%	52.3%	57.6%	57.6%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	47.5%	52.3%	57.6%	57.6%
BSE	MLHG - UCD With Queuing	Queuing	20.0%	19.8%	25.2%	25.1%
BSE	Three Way Call Transfer	User Transfer	24.4%	29.1%	34.3%	34.2%
BSE	Remote Call Forwarding	Foreign Exchange	47.5%	52.3%	57.6%	57.6%
BSE	Route Diversity	Diversity Routing	20.0%	19.8%	25.2%	25.1%
BSE	3rd No. Bllg Inhibited	Bld No. Screen'g (BNS)	47.5%	52.3%	57.6%	57.6%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE		Prior Pkt Sw'd Ntw Suppl	0.0%	0.0%	0.0%	0.0%
BSE		MegaConnect Svc (SMDS)	0.0%	0.0%	0.0%	0.0%
BSE		MWI Actvtn Audbl Rng Brst	0.0%	0.0%	5.4%	5.5%
BSE	Hi Cap Hand-Off Svc	Controllink DCS	100.0%	100.0%	100.0%	100.0%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Pkt	93.8%	93.9%	93.9%	93.9%
CNS	Fast Select Accept Pkt	Fast Select	93.8%	93.9%	93.9%	93.9%
CNS	Fast Select Request Pkt	Fast Select	93.8%	93.9%	93.9%	93.9%
CNS	Derived Ch (Monitoring)	ScanAlert	0.0%	0.0%	0.0%	0.0%
CNS	Automatic Callback	Automatic Busy Redial	47.5%	52.3%	57.6%	57.6%
CNS	Automatic Recall	Automatic Call Return	47.5%	52.3%	57.6%	57.6%

SUMMARY FOR MARKET AREA: KALAMAZOO-BATTLE CRK MI

Total Access Lines in: KALAMAZOO-BATTLE CRK Total = 40114

Percentage Availability of ONA Services By Date for KALAMAZOO-BATTLE CRK Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
CNS	CFBL Intraswitch	Call Fwd Bsy Li - Fixed	47.5%	52.3%	57.6%	57.6%
CNS	CFBL Interswitch	Call Fwd Bsy Li - Fixed	47.5%	52.3%	57.6%	57.6%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	27.5%	32.4%	37.9%	37.9%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	47.5%	52.3%	57.6%	57.6%
CNS	CFDA Intraswitch	Cl Fwd-No Ans-Fixed	47.5%	52.3%	57.6%	57.6%
CNS	CFDA Interswitch	Cl Fwd-No Ans-Fixed	47.5%	52.3%	57.6%	57.6%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	20.0%	19.8%	25.2%	25.1%
CNS	CF - Variable	Variable Cl Fwd'g	47.5%	52.3%	57.6%	57.6%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	0.0%	0.0%	0.0%	0.0%
CNS	CF VAR - Remote Act/Cont	Remote Access-CF Variable	27.5%	32.4%	37.9%	37.9%
CNS	Call Waiting - Cancel	Cancel Call Waiting	47.5%	52.3%	57.6%	57.6%
CNS	Clig DA Deliv via BCLID	Clg No.ID Deliv CLASS	27.5%	32.4%	37.9%	37.9%
CNS	Customer Originated Trace	Call Tracing Service	47.5%	52.3%	57.6%	57.6%
CNS	Distinctive Ringing	VIP Alert	47.5%	52.3%	57.6%	57.6%
CNS	Dist Ring Term Screen	Smart Ring	47.5%	52.3%	57.6%	57.6%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	47.5%	52.3%	57.6%	57.6%
CNS	MWI-ATR Audible Msg Wtg	Receive Audible MWI	27.5%	32.4%	37.9%	37.9%
CNS	Selective Call Forward'g	Special Call Forwarding	47.5%	52.3%	57.6%	57.6%
CNS	Selective Call Rejection	Call Block	47.5%	52.3%	57.6%	57.6%
CNS	Speed Calling	Speed Clig - 8 & 30 Nos.	47.5%	52.3%	57.6%	57.6%
CNS		Busy Number Redial	47.5%	52.3%	57.6%	57.6%
CNS		Saved Number Redial	20.0%	19.8%	25.2%	25.1%
CNS		Last Number Redial	47.5%	52.3%	57.6%	57.6%
CNS	Call Waiting	Call Waiting	47.5%	52.3%	57.6%	57.6%
CNS	Three Way Calling	Three Way Calling	47.5%	52.3%	57.6%	57.6%
CNS	Remote Call Forwarding	Remote Call Forwarding	47.5%	52.3%	57.6%	57.6%
CNS		Cl Fwd'g Fixed-All clls	47.5%	52.3%	57.6%	57.6%
CNS	CFBL/DA	Cl Fwd Bsy No Ans.Fixed	47.5%	52.3%	57.6%	57.6%
CNS		Special Call Waiting	47.5%	52.3%	57.6%	57.6%
CNS		Special Call Acceptance	47.5%	52.3%	57.6%	57.6%
CNS		Anonymous Call Rejection	4.4%	9.2%	14.6%	14.6%
CNS	3rd No. Bllg Inhibited	Bld No. Screen'g (BNS)	47.5%	52.3%	57.6%	57.6%
CNS		Call Restriction Service	47.5%	52.3%	57.6%	57.6%
CNS		MWI Abl Rcv Adbl Rng Brst	0.0%	0.0%	5.4%	5.5%
CNS		GTE Dial Datalink	100.0%	100.0%	100.0%	100.0%
CNS		Cust.Controllable Ringing	47.5%	52.3%	57.6%	57.6%

SUMMARY FOR MARKET AREA: KANKAKEE

IL

Total Access Lines in: KANKAKEE Total = 666

Percentage Availability of ONA Services By Date for KANKAKEE Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Type B - X.75 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	0.0%	0.0%	0.0%	0.0%
BSA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	0.0%	0.0%	0.0%	0.0%
BSA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Alert Transport	Alarm Signal	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	Type K - Ded 64kbps	Digital Data Svc DDS	0.0%	0.0%	0.0%	0.0%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw	100.0%	100.0%	100.0%	100.0%
BSE	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Cld DN Deliv via DID	Direct Inward Dialing	0.0%	0.0%	0.0%	0.0%
BSE	Cllg Bllg Num Deliv FG B	Automatic No. ID	0.0%	0.0%	0.0%	0.0%
BSE	Cllg Bllg Num Deliv FG D	Automatic No. ID	0.0%	0.0%	0.0%	0.0%
BSE	Cllg DA Deliv via BCLID	Clg No.ID Delivv CLASS	0.0%	0.0%	0.0%	0.0%
BSE	CXR Select On Rvse Chrg	800 Service	0.0%	0.0%	0.0%	0.0%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	0.0%	0.0%	0.0%	0.0%
BSE	MWI- Activation Audible	MWI Audible	0.0%	0.0%	0.0%	0.0%
BSE	Multiline Hunt Group	Hunt Group Arrangement	0.0%	0.0%	0.0%	0.0%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	0.0%	0.0%	0.0%	0.0%
BSE	MLHG - UCD With Queuing	Queuing	0.0%	0.0%	0.0%	0.0%
BSE	Three Way Call Transfer	User Transfer	0.0%	0.0%	0.0%	0.0%
BSE	Remote Call Forwarding	Foreign Exchange	0.0%	0.0%	0.0%	0.0%
BSE	Route Diversity	Diversity Routing	0.0%	0.0%	0.0%	0.0%
BSE	3rd No. Bllg Inhibited	Bld No. Screen'g (BNS)	0.0%	0.0%	0.0%	0.0%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE		Prior Pkt Sw'd Ntw Suppl	0.0%	0.0%	0.0%	0.0%
BSE		MegaConnect Svc (SMDS)	0.0%	0.0%	0.0%	0.0%
BSE		MWI Actvtn Audbl Rng Brst	0.0%	0.0%	0.0%	0.0%
BSE	Hi Cap Hand-Off Svc	ControlLink DCS	100.0%	100.0%	100.0%	100.0%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Pkt	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Derived Ch (Monitoring)	ScanAlert	0.0%	0.0%	0.0%	0.0%
CNS	Automatic Callback	Automatic Busy Redial	0.0%	0.0%	0.0%	0.0%
CNS	Automatic Recall	Automatic Call Return	0.0%	0.0%	0.0%	0.0%

SUMMARY FOR MARKET AREA: KANKAKEE

IL

Total Access Lines in: KANKAKEE Total = 666

Percentage Availability of ONA Services By Date for KANKAKEE Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
CNS	CFBL Intraswitch	Call Fwd Bsy Li - Fixed	0.0%	0.0%	0.0%	0.0%
CNS	CFBL Interswitch	Call Fwd Bsy Li - Fixed	0.0%	0.0%	0.0%	0.0%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	0.0%	0.0%	0.0%	0.0%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	0.0%	0.0%	0.0%	0.0%
CNS	CFDA Intraswitch	Cl Fwd-No Ans-Fixed	0.0%	0.0%	0.0%	0.0%
CNS	CFDA Interswitch	Cl Fwd-No Ans-Fixed	0.0%	0.0%	0.0%	0.0%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	0.0%	0.0%	0.0%	0.0%
CNS	CF - Variable	Variable Cl Fwd'g	0.0%	0.0%	0.0%	0.0%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	0.0%	0.0%	0.0%	0.0%
CNS	CF VAR - Remote Act/Cont	Remote Access-CF Variable	0.0%	0.0%	0.0%	0.0%
CNS	Call Waiting - Cancel	Cancel Call Waiting	0.0%	0.0%	0.0%	0.0%
CNS	Cllg DA Deliv via BCLID	Cllg No.ID Delivv CLASS	0.0%	0.0%	0.0%	0.0%
CNS	Customer Originated Trace	Call Tracing Service	0.0%	0.0%	0.0%	0.0%
CNS	Distinctive Ringing	VIP Alert	0.0%	0.0%	0.0%	0.0%
CNS	Dist Ring Term Screen	Smart Ring	0.0%	0.0%	0.0%	0.0%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	0.0%	0.0%	0.0%	0.0%
CNS	MWI-ATR Audible Msg Wtg	Receive Audible MWI	0.0%	0.0%	0.0%	0.0%
CNS	Selective Call Forward'g	Special Call Forwarding	0.0%	0.0%	0.0%	0.0%
CNS	Selective Call Rejection	Call Block	0.0%	0.0%	0.0%	0.0%
CNS	Speed Calling	Speed Cllg - 8 & 30 Nos.	0.0%	0.0%	0.0%	0.0%
CNS		Busy Number Redial	0.0%	0.0%	0.0%	0.0%
CNS		Saved Number Redial	0.0%	0.0%	0.0%	0.0%
CNS		Last Number Redial	0.0%	0.0%	0.0%	0.0%
CNS	Call Waiting	Call Waiting	0.0%	0.0%	0.0%	0.0%
CNS	Three Way Calling	Three Way Calling	0.0%	0.0%	0.0%	0.0%
CNS	Remote Call Forwarding	Remote Call Forwarding	0.0%	0.0%	0.0%	0.0%
CNS		Cll Frwd'g Fixed-All clls	0.0%	0.0%	0.0%	0.0%
CNS	CFBL/DA	Cll Frwd Bsy No Ans.Fixed	0.0%	0.0%	0.0%	0.0%
CNS		Special Call Waiting	0.0%	0.0%	0.0%	0.0%
CNS		Special Call Acceptance	0.0%	0.0%	0.0%	0.0%
CNS		Anonymous Call Rejection	0.0%	0.0%	0.0%	0.0%
CNS	3rd No. Bllg Inhibited	Blld No. Screen'g (BNS)	0.0%	0.0%	0.0%	0.0%
CNS		Call Restriction Service	0.0%	0.0%	0.0%	0.0%
CNS		MWI Abl Rcv Adbl Rng Brst	0.0%	0.0%	0.0%	0.0%
CNS		GTE Dial Datalink	100.0%	100.0%	100.0%	100.0%
CNS		Cust.Controllable Ringing	0.0%	0.0%	0.0%	0.0%

SUMMARY FOR MARKET AREA: KANSAS CITY

MO

Total Access Lines in: KANSAS CITY Total = 16215

Percentage Availability of ONA Services By Date for KANSAS CITY Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Type B - X.75 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	61.6%	61.8%	61.9%	62.0%
BSA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	51.3%	51.4%	51.6%	51.8%
BSA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	24.1%	23.8%	23.8%	23.7%
BSA	Dedicated Alert Transport	Alarm Signal	31.2%	31.8%	32.0%	32.3%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	Type K - Ded 64kbps	Digital Data Svc DDS	0.0%	0.0%	0.0%	0.0%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw	100.0%	100.0%	100.0%	100.0%
BSE	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Acc To Ctr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Cld DN Deliv via DID	Direct Inward Dialing	52.2%	51.9%	51.6%	51.3%
BSE	Cllg Bllg Num Deliv PG B	Automatic No. ID	52.2%	51.9%	51.6%	51.3%
BSE	Cllg Bllg Num Deliv PG D	Automatic No. ID	79.5%	79.5%	79.5%	79.4%
BSE	Cllg DA Deliv via BCLID	Clg No.ID Delivv CLASS	79.5%	79.5%	79.5%	79.4%
BSE	CXR Select On Rvse Chrg	800 Service	52.2%	51.9%	51.6%	51.3%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	79.5%	79.5%	79.5%	79.4%
BSE	MWI- Activation Audible	MWI Audible	79.5%	79.5%	79.5%	79.4%
BSE	Multiline Hunt Group	Hunt Group Arrangement	79.5%	79.5%	79.5%	79.4%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	79.5%	79.5%	79.5%	79.4%
BSE	MLHG - UCD With Queuing	Queuing	52.2%	51.9%	51.6%	51.3%
BSE	Three Way Call Transfer	User Transfer	79.5%	79.5%	79.5%	79.4%
BSE	Remote Call Forwarding	Foreign Exchange	79.5%	79.5%	79.5%	79.4%
BSE	Route Diversity	Diversity Routing	52.2%	51.9%	51.6%	51.3%
BSE	3rd No. Bllg Inhibited	Bldd No. Screen'g (BNS)	79.5%	79.5%	79.5%	79.4%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE		Prior Pkt Sw'd Ntw Suppl	0.0%	0.0%	0.0%	0.0%
BSE		MegaConnect Svc (SMDS)	0.0%	0.0%	0.0%	0.0%
BSE		MWI Actvtn Audbl Rng Brst	0.0%	0.0%	0.0%	0.0%
BSE	Hi Cap Hand-Off Svc	ControlLink DCS	100.0%	100.0%	100.0%	100.0%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Pkt	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Derived Ch (Monitoring)	ScanAlert	0.0%	0.0%	0.0%	0.0%
CNS	Automatic Callback	Automatic Busy Redial	79.5%	79.5%	79.5%	79.4%
CNS	Automatic Recall	Automatic Call Return	79.5%	79.5%	79.5%	79.4%

SUMMARY FOR MARKET AREA: KANSAS CITY

MO

Total Access Lines in: KANSAS CITY Total = 16215

Percentage Availability of ONA Services By Date for KANSAS CITY Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
CNS	CFBL Intrswitch	Call Fwd Bsy Li - Fixed	79.5%	79.5%	79.5%	79.4%
CNS	CFBL Interswitch	Call Fwd Bsy Li - Fixed	79.5%	79.5%	79.5%	79.4%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	79.5%	79.5%	79.5%	79.4%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	79.5%	79.5%	79.5%	79.4%
CNS	CFDA Intrswitch	Cl Fwd-No Ans-Fixed	79.5%	79.5%	79.5%	79.4%
CNS	CFDA Interswitch	Cl Fwd-No Ans-Fixed	79.5%	79.5%	79.5%	79.4%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	52.2%	51.9%	51.6%	51.3%
CNS	CF - Variable	Variable Cl Fwd'g	79.5%	79.5%	79.5%	79.4%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	0.0%	0.0%	0.0%	0.0%
CNS	CF VAR - Remote Act/Cont	Remote Access-CF Variable	79.5%	79.5%	79.5%	79.4%
CNS	Call Waiting - Cancel	Cancel Call Waiting	79.5%	79.5%	79.5%	79.4%
CNS	Clbg DA Deliv via BCLID	Clg No.ID Deliv CLASS	79.5%	79.5%	79.5%	79.4%
CNS	Customer Originated Trace	Call Tracing Service	79.5%	79.5%	79.5%	79.4%
CNS	Distinctive Ringing	VIP Alert	79.5%	79.5%	79.5%	79.4%
CNS	Dist Ring Term Screen	Smart Ring	79.5%	79.5%	79.5%	79.4%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	79.5%	79.5%	79.5%	79.4%
CNS	MWI-ATR Audible Msg Wtg	Receive Audible MWI	27.2%	27.6%	27.8%	28.1%
CNS	Selective Call Forward'g	Special Call Forwarding	79.5%	79.5%	79.5%	79.4%
CNS	Selective Call Rejection	Call Block	79.5%	79.5%	79.5%	79.4%
CNS	Speed Calling	Speed Clbg - 8 & 30 Nos.	79.5%	79.5%	79.5%	79.4%
CNS		Busy Number Redial	79.5%	79.5%	79.5%	79.4%
CNS		Saved Number Redial	52.2%	51.9%	51.6%	51.3%
CNS		Last Number Redial	79.5%	79.5%	79.5%	79.4%
CNS	Call Waiting	Call Waiting	79.5%	79.5%	79.5%	79.4%
CNS	Three Way Calling	Three Way Calling	79.5%	79.5%	79.5%	79.4%
CNS	Remote Call Forwarding	Remote Call Forwarding	79.5%	79.5%	79.5%	79.4%
CNS		Cl Fwd'g Fixed-All clls	79.5%	79.5%	79.5%	79.4%
CNS	CFBL/DA	Cl Fwd Bsy No Ans.Fixed	79.5%	79.5%	79.5%	79.4%
CNS		Special Call Waiting	79.5%	79.5%	79.5%	79.4%
CNS		Special Call Acceptance	79.5%	79.5%	79.5%	79.4%
CNS		Anonymous Call Rejection	27.2%	27.6%	27.8%	28.1%
CNS	3rd No. Bllg Inhibited	Bld No. Screen'g (BNS)	79.5%	79.5%	79.5%	79.4%
CNS		Call Restriction Service	79.5%	79.5%	79.5%	79.4%
CNS		MWI Abl Rcv Adbl Rng Brst	0.0%	0.0%	0.0%	0.0%
CNS		GTE Dial Datalink	100.0%	100.0%	100.0%	100.0%
CNS		Cust Controllable Ringing	79.5%	79.5%	79.5%	79.4%

SUMMARY FOR MARKET AREA: KENOSHA

WI

Total Access Lines in: KENOSHA Total = 12921

Percentage Availability of ONA Services By Date for KENOSHA Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Type B - X.75 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	100.0%	100.0%	100.0%	100.0%
BSA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	64.0%	64.1%	64.3%	64.6%
BSA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Alert Transport	Alarm Signal	30.8%	30.7%	30.6%	30.6%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	Type K - Ded 64kbps	Digital Data Svc DDS	0.0%	0.0%	0.0%	0.0%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw	100.0%	100.0%	100.0%	100.0%
BSE	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Cld DN Deliv via DID	Direct Inward Dialing	0.0%	0.0%	100.0%	100.0%
BSE	Cllg Bllg Num Deliv FG B	Automatic No. ID	0.0%	0.0%	100.0%	100.0%
BSE	Cllg Bllg Num Deliv FG D	Automatic No. ID	0.0%	0.0%	100.0%	100.0%
BSE	Cllg DA Deliv via BCLID	Clg No.ID Delivv CLASS	0.0%	0.0%	100.0%	100.0%
BSE	CXR Select On Rvse Chrg	800 Service	0.0%	0.0%	100.0%	100.0%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	0.0%	0.0%	100.0%	100.0%
BSE	MWI- Activation Audible	MWI Audible	0.0%	0.0%	100.0%	100.0%
BSE	Multiline Hunt Group	Hunt Group Arrangement	0.0%	0.0%	100.0%	100.0%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	0.0%	0.0%	100.0%	100.0%
BSE	MLHG - UCD With Queuing	Queuing	0.0%	0.0%	100.0%	100.0%
BSE	Three Way Call Transfer	User Transfer	0.0%	0.0%	100.0%	100.0%
BSE	Remote Call Forwarding	Foreign Exchange	0.0%	0.0%	100.0%	100.0%
BSE	Route Diversity	Diversity Routing	0.0%	0.0%	100.0%	100.0%
BSE	3rd No. Bllg Inhibited	Bldd No. Screen'g (BNS)	0.0%	0.0%	100.0%	100.0%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE		Prior Pkt Sw'd Ntw Suppl	0.0%	0.0%	0.0%	0.0%
BSE		MegaConnect Svc (SMDS)	0.0%	0.0%	0.0%	0.0%
BSE		MWI Actvtn Audbl Rng Brst	0.0%	0.0%	100.0%	100.0%
BSE	Hi Cap Hand-Off Svc	ControlLink DCS	100.0%	100.0%	100.0%	100.0%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Pkt	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Derived Ch (Monitoring)	ScanAlert	0.0%	0.0%	0.0%	0.0%
CNS	Automatic Callback	Automatic Busy Redial	0.0%	0.0%	100.0%	100.0%
CNS	Automatic Recall	Automatic Call Return	0.0%	0.0%	100.0%	100.0%

SUMMARY FOR MARKET AREA: KENOSHA

WI

Total Access Lines in: KENOSHA Total = 12921

Percentage Availability of ONA Services By Date for KENOSHA Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
CNS	CFBL Intrswitch	Call Fwd Bsy Li - Fixed	0.0%	0.0%	100.0%	100.0%
CNS	CFBL Interswitch	Call Fwd Bsy Li - Fixed	0.0%	0.0%	0.0%	0.0%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	0.0%	0.0%	100.0%	100.0%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	0.0%	0.0%	100.0%	100.0%
CNS	CFDA Intrswitch	Cl Fwd-No Ans-Fixed	0.0%	0.0%	100.0%	100.0%
CNS	CFDA Interswitch	Cl Fwd-No Ans-Fixed	0.0%	0.0%	100.0%	100.0%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	0.0%	0.0%	100.0%	100.0%
CNS	CF - Variable	Variable Cl Fwd'g	0.0%	0.0%	100.0%	100.0%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	0.0%	0.0%	0.0%	0.0%
CNS	CF VAR - Remote Act/Cont	Remote Access-CF Variable	0.0%	0.0%	100.0%	100.0%
CNS	Call Waiting - Cancel	Cancel Call Waiting	0.0%	0.0%	100.0%	100.0%
CNS	Clg DA Deliv via BCLID	Clg No.ID Delivv CLASS	0.0%	0.0%	100.0%	100.0%
CNS	Customer Originated Trace	Call Tracing Service	0.0%	0.0%	100.0%	100.0%
CNS	Distinctive Ringing	VIP Alert	0.0%	0.0%	100.0%	100.0%
CNS	Dist Ring Term Screen	Smart Ring	0.0%	0.0%	100.0%	100.0%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	0.0%	0.0%	100.0%	100.0%
CNS	MWI-ATR Audible Msg Wtg	Receive Audible MWI	0.0%	0.0%	100.0%	100.0%
CNS	Selective Call Forward'g	Special Call Forwarding	0.0%	0.0%	100.0%	100.0%
CNS	Selective Call Rejection	Call Block	0.0%	0.0%	100.0%	100.0%
CNS	Speed Calling	Speed Clg - 8 & 30 Nos.	0.0%	0.0%	100.0%	100.0%
CNS		Busy Number Redial	0.0%	0.0%	100.0%	100.0%
CNS		Saved Number Redial	0.0%	0.0%	100.0%	100.0%
CNS		Last Number Redial	0.0%	0.0%	100.0%	100.0%
CNS	Call Waiting	Call Waiting	0.0%	0.0%	100.0%	100.0%
CNS	Three Way Calling	Three Way Calling	0.0%	0.0%	100.0%	100.0%
CNS	Remote Call Forwarding	Remote Call Forwarding	0.0%	0.0%	100.0%	100.0%
CNS		Cl Fwd'g Fixed-All clls	0.0%	0.0%	100.0%	100.0%
CNS	CFBL/DA	Cl Fwd Bsy No Ans.Fixed	0.0%	0.0%	100.0%	100.0%
CNS		Special Call Waiting	0.0%	0.0%	100.0%	100.0%
CNS		Special Call Acceptance	0.0%	0.0%	100.0%	100.0%
CNS		Anonymous Call Rejection	0.0%	0.0%	0.0%	0.0%
CNS	3rd No. Bllg Inhibited	Bld No. Screen'g (BNS)	0.0%	0.0%	100.0%	100.0%
CNS		Call Restriction Service	0.0%	0.0%	100.0%	100.0%
CNS		MWI Abl Rcv Adbl Rng Brst	0.0%	0.0%	100.0%	100.0%
CNS		GTE Dial Datalink	100.0%	100.0%	100.0%	100.0%
CNS		Cust.Controllable Ringing	0.0%	0.0%	100.0%	100.0%

SUMMARY FOR MARKET AREA: KILLEEN-TEMPLE

TX

Total Access Lines in: KILLEEN-TEMPLE Total = 776

Percentage Availability of ONA Services By Date for KILLEEN-TEMPLE Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Type B - X.75 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	0.0%	0.0%	0.0%	0.0%
BSA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	0.0%	0.0%	0.0%	0.0%
BSA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Alert Transport	Alarm Signal	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	Type K - Ded 64kbps	Digital Data Svc DDS	0.0%	0.0%	0.0%	0.0%
BSA	TypeA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypeB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw	100.0%	100.0%	100.0%	100.0%
BSE	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Cld DN Deliv via DID	Direct Inward Dialing	0.0%	0.0%	0.0%	0.0%
BSE	Cllg Bllg Num Deliv FG B	Automatic No. ID	0.0%	0.0%	0.0%	0.0%
BSE	Cllg Bllg Num Deliv FG D	Automatic No. ID	0.0%	0.0%	0.0%	0.0%
BSE	Cllg DA Deliv via BCLID	Clg No.ID Delivv CLASS	0.0%	0.0%	0.0%	0.0%
BSE	CXR Select On Rvse Chrg	800 Service	0.0%	0.0%	0.0%	0.0%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	0.0%	0.0%	0.0%	0.0%
BSE	MWI- Activation Audible	MWI Audible	0.0%	0.0%	0.0%	0.0%
BSE	Multiline Hunt Group	Hunt Group Arrangement	100.0%	100.0%	100.0%	100.0%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	100.0%	100.0%	100.0%	100.0%
BSE	MLHG - UCD With Queuing	Queuing	0.0%	0.0%	0.0%	0.0%
BSE	Three Way Call Transfer	User Transfer	100.0%	100.0%	100.0%	100.0%
BSE	Remote Call Forwarding	Foreign Exchange	100.0%	100.0%	100.0%	100.0%
BSE	Route Diversity	Diversity Routing	0.0%	0.0%	0.0%	0.0%
BSE	3rd No. Bllg Inhibited	Bld No. Screen'g (BNS)	100.0%	100.0%	100.0%	100.0%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE		Prior Pkt Sw'd Ntw Suppl	0.0%	0.0%	0.0%	0.0%
BSE		MegaConnect Svc (SMDS)	0.0%	0.0%	0.0%	0.0%
BSE		MWI Actvtn Audbl Rng Brst	0.0%	0.0%	0.0%	0.0%
BSE	Hi Cap Hand-Off Svc	ControlLink DCS	100.0%	100.0%	100.0%	100.0%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Pkt	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Derived Ch (Monitoring)	ScanAlert	0.0%	0.0%	0.0%	0.0%
CNS	Automatic Callback	Automatic Busv Redial	0.0%	0.0%	0.0%	0.0%

SUMMARY FOR MARKET AREA: KILLEEN-TEMPLE

TX

Total Access Lines in: KILLEEN-TEMPLE Total = 776

Percentage Availability of ONA Services By Date for KILLEEN-TEMPLE Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
CNS	CFBL Intrswitch	Call Fwd Bsy Li - Fixed	0.0%	0.0%	0.0%	0.0%
CNS	CFBL Interswitch	Call Fwd Bsy Li - Fixed	100.0%	100.0%	100.0%	100.0%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	0.0%	0.0%	0.0%	0.0%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	0.0%	0.0%	0.0%	0.0%
CNS	CFDA Intrswitch	Cl Fwd-No Ans-Fixed	0.0%	0.0%	0.0%	0.0%
CNS	CFDA Interswitch	Cl Fwd-No Ans-Fixed	0.0%	0.0%	0.0%	0.0%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	0.0%	0.0%	0.0%	0.0%
CNS	CF - Variable	Variable Cl Fwd'g	100.0%	100.0%	100.0%	100.0%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	0.0%	0.0%	0.0%	0.0%
CNS	CF VAR - Remote Act/Cont	Remote Access-CF Variable	0.0%	0.0%	0.0%	0.0%
CNS	Call Waiting - Cancel	Cancel Call Waiting	100.0%	100.0%	100.0%	100.0%
CNS	Clbg DA Deliv via BCLID	Clg No.ID Deliv CLASS	0.0%	0.0%	0.0%	0.0%
CNS	Customer Originated Trace	Call Tracing Service	0.0%	0.0%	0.0%	0.0%
CNS	Distinctive Ringing	VIP Alert	0.0%	0.0%	0.0%	0.0%
CNS	Dist Ring Term Screen	Smart Ring	0.0%	0.0%	0.0%	0.0%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	100.0%	100.0%	100.0%	100.0%
CNS	MWI-ATR Audible Msg Wtg	Receive Audible MWI	0.0%	0.0%	0.0%	0.0%
CNS	Selective Call Forward'g	Special Call Forwarding	0.0%	0.0%	0.0%	0.0%
CNS	Selective Call Rejection	Call Block	0.0%	0.0%	0.0%	0.0%
CNS	Speed Calling	Speed Clbg - 8 & 30 Nos.	100.0%	100.0%	100.0%	100.0%
CNS		Busy Number Redial	0.0%	0.0%	0.0%	0.0%
CNS		Saved Number Redial	0.0%	0.0%	0.0%	0.0%
CNS		Last Number Redial	0.0%	0.0%	0.0%	0.0%
CNS	Call Waiting	Call Waiting	100.0%	100.0%	100.0%	100.0%
CNS	Three Way Calling	Three Way Calling	100.0%	100.0%	100.0%	100.0%
CNS	Remote Call Forwarding	Remote Call Forwarding	0.0%	0.0%	0.0%	0.0%
CNS		Clb Frwd'g Fixed-All clls	100.0%	100.0%	100.0%	100.0%
CNS	CFBL/DA	Clb Frwd Bsy No Ans.Fixed	100.0%	100.0%	100.0%	100.0%
CNS		Special Call Waiting	0.0%	0.0%	0.0%	0.0%
CNS		Special Call Acceptance	0.0%	0.0%	0.0%	0.0%
CNS		Anonymous Call Rejection	0.0%	0.0%	0.0%	0.0%
CNS	3rd No. Bllg Inhibited	Bldd No. Screen'g (BNS)	100.0%	100.0%	100.0%	100.0%
CNS		Call Restriction Service	100.0%	100.0%	100.0%	100.0%
CNS		MWI Abl Rcv Adbl Rng Brst	0.0%	0.0%	0.0%	0.0%
CNS		GTE Dial Datalink	100.0%	100.0%	100.0%	100.0%
CNS		Cust Controllable Ringing	0.0%	0.0%	0.0%	0.0%

SUMMARY FOR MARKET AREA: KOKOMO

IN

Total Access Lines in: KOKOMO Total = 769

Percentage Availability of ONA Services By Date for KOKOMO Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	100.0%	100.0%	100.0%	100.0%
BSA	Type B - X.75 Pkt Sw	Pkt Sw Ntwk Svc	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	100.0%	100.0%	100.0%	100.0%
BSA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	0.0%	0.0%	0.0%	0.0%
BSA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Alert Transport	Alarm Signal	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	Type K - Ded 64kbps	Digital Data Svc DDS	0.0%	0.0%	0.0%	0.0%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw	100.0%	100.0%	100.0%	100.0%
BSE	Fast Select Accept Pkt	Fast Select	100.0%	100.0%	100.0%	100.0%
BSE	Fast Select Request Pkt	Fast Select	100.0%	100.0%	100.0%	100.0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Cld DN Deliv via DID	Direct Inward Dialing	0.0%	0.0%	0.0%	0.0%
BSE	Cllg Bllg Num Deliv PG B	Automatic No. ID	0.0%	0.0%	0.0%	0.0%
BSE	Cllg Bllg Num Deliv PG D	Automatic No. ID	0.0%	0.0%	0.0%	0.0%
BSE	Cllg DA Deliv via BCLID	Clg No.ID Delivv CLASS	0.0%	0.0%	0.0%	0.0%
BSE	CXR Select On Rvse Charg	800 Service	0.0%	0.0%	0.0%	0.0%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	0.0%	0.0%	0.0%	0.0%
BSE	MWI- Activation Audible	MWI Audible	0.0%	0.0%	0.0%	0.0%
BSE	Multiline Hunt Group	Hunt Group Arrangement	0.0%	0.0%	0.0%	0.0%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	0.0%	0.0%	0.0%	0.0%
BSE	MLHG - UCD With Queuing	Queuing	0.0%	0.0%	0.0%	0.0%
BSE	Three Way Call Transfer	User Transfer	0.0%	0.0%	0.0%	0.0%
BSE	Remote Call Forwarding	Foreign Exchange	0.0%	0.0%	0.0%	0.0%
BSE	Route Diversity	Diversity Routing	0.0%	0.0%	0.0%	0.0%
BSE	3rd No. Bllg Inhibited	Bld No. Screen'g (BNS)	0.0%	0.0%	0.0%	0.0%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE		Prior Pkt Sw'd Ntw Suppl	0.0%	0.0%	0.0%	0.0%
BSE		MegaConnect Svc (SMDS)	0.0%	0.0%	0.0%	0.0%
BSE		MWI Actvtn Audbl Rng Brst	0.0%	0.0%	0.0%	0.0%
BSE	Hi Cap Hand-Off Svc	Controllink DCS	100.0%	100.0%	100.0%	100.0%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Pkt	100.0%	100.0%	100.0%	100.0%
CNS	Fast Select Accept Pkt	Fast Select	100.0%	100.0%	100.0%	100.0%
CNS	Fast Select Request Pkt	Fast Select	100.0%	100.0%	100.0%	100.0%
CNS	Derived Ch (Monitoring)	ScanAlert	0.0%	0.0%	0.0%	0.0%
CNS	Automatic Callback	Automatic Busy Redial	0.0%	0.0%	0.0%	0.0%
CNS	Automatic Recall	Automatic Call Return	0.0%	0.0%	0.0%	0.0%

SUMMARY FOR MARKET AREA: KOKOMO

IN

Total Access Lines in: KOKOMO Total = 769

Percentage Availability of ONA Services By Date for KOKOMO Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
CNS	CFBL Intraswitch	Call Fwd Bsy Li - Fixed	0.0%	0.0%	0.0%	0.0%
CNS	CFBL Interswitch	Call Fwd Bsy Li - Fixed	0.0%	0.0%	0.0%	0.0%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	0.0%	0.0%	0.0%	0.0%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	0.0%	0.0%	0.0%	0.0%
CNS	CFDA Intraswitch	Cl Fwd-No Ans-Fixed	0.0%	0.0%	0.0%	0.0%
CNS	CFDA Interswitch	Cl Fwd-No Ans-Fixed	0.0%	0.0%	0.0%	0.0%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	0.0%	0.0%	0.0%	0.0%
CNS	CF - Variable	Variable Cl Fwd'g	0.0%	0.0%	0.0%	0.0%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	0.0%	0.0%	0.0%	0.0%
CNS	CF VAR - Remote Act/Cont	Remote Access-CF Variable	0.0%	0.0%	0.0%	0.0%
CNS	Call Waiting - Cancel	Cancel Call Waiting	0.0%	0.0%	0.0%	0.0%
CNS	Clbg DA Deliv via BCLID	Clg No.ID Delivv CLASS	0.0%	0.0%	0.0%	0.0%
CNS	Customer Originated Trace	Call Tracing Service	0.0%	0.0%	0.0%	0.0%
CNS	Distinctive Ringing	VIP Alert	0.0%	0.0%	0.0%	0.0%
CNS	Dist Ring Term Screen	Smart Ring	0.0%	0.0%	0.0%	0.0%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	0.0%	0.0%	0.0%	0.0%
CNS	MWI-ATR Audible Msg Wtg	Receive Audible MWI	0.0%	0.0%	0.0%	0.0%
CNS	Selective Call Forward'g	Special Call Forwarding	0.0%	0.0%	0.0%	0.0%
CNS	Selective Call Rejection	Call Block	0.0%	0.0%	0.0%	0.0%
CNS	Speed Calling	Speed Clbg - 8 & 30 Nos.	0.0%	0.0%	0.0%	0.0%
CNS		Busy Number Redial	0.0%	0.0%	0.0%	0.0%
CNS		Saved Number Redial	0.0%	0.0%	0.0%	0.0%
CNS		Last Number Redial	0.0%	0.0%	0.0%	0.0%
CNS	Call Waiting	Call Waiting	0.0%	0.0%	0.0%	0.0%
CNS	Three Way Calling	Three Way Calling	0.0%	0.0%	0.0%	0.0%
CNS	Remote Call Forwarding	Remote Call Forwarding	0.0%	0.0%	0.0%	0.0%
CNS		Clf Frwd'g Fixed-All clls	0.0%	0.0%	0.0%	0.0%
CNS	CFBL/DA	Clf Frwd Bsy No Ans.Fixed	0.0%	0.0%	0.0%	0.0%
CNS		Special Call Waiting	0.0%	0.0%	0.0%	0.0%
CNS		Special Call Acceptance	0.0%	0.0%	0.0%	0.0%
CNS		Anonymous Call Rejection	0.0%	0.0%	0.0%	0.0%
CNS	3rd No. Bllg Inhibited	Bldd No. Screen'g (BNS)	0.0%	0.0%	0.0%	0.0%
CNS		Call Restriction Service	0.0%	0.0%	0.0%	0.0%
CNS		MWI Abl Rcv Adbl Rng Brst	0.0%	0.0%	0.0%	0.0%
CNS		GTE Dial Datalink	100.0%	100.0%	100.0%	100.0%
CNS		Cust.Controllable Ringing	0.0%	0.0%	0.0%	0.0%

SUMMARY FOR MARKET AREA: LA CROSSE

WI

Total Access Lines in: LA CROSSE Total = 5029

Percentage Availability of ONA Services By Date for LA CROSSE Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Type B - X.75 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	88.0%	88.0%	88.0%	88.0%
BSA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	59.3%	59.4%	59.4%	59.4%
BSA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Alert Transport	Alarm Signal	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	Type K - Ded 64kbps	Digital Data Svc DDS	0.0%	0.0%	0.0%	0.0%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw	100.0%	100.0%	100.0%	100.0%
BSE	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Acc To Ctr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Cld DN Deliv via DID	Direct Inward Dialing	0.0%	88.0%	88.0%	88.0%
BSE	Cllg Bllg Num Deliv FG B	Automatic No. ID	0.0%	88.0%	88.0%	88.0%
BSE	Cllg Bllg Num Deliv FG D	Automatic No. ID	0.0%	88.0%	88.0%	88.0%
BSE	Cllg DA Deliv via BCLID	Clg No.ID Deliv CLASS	0.0%	88.0%	88.0%	88.0%
BSE	CXR Select On Rvse Chrg	800 Service	0.0%	88.0%	88.0%	88.0%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	0.0%	88.0%	88.0%	88.0%
BSE	MWI- Activation Audible	MWI Audible	0.0%	88.0%	88.0%	88.0%
BSE	Multiline Hunt Group	Hunt Group Arrangement	0.0%	88.0%	88.0%	88.0%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	0.0%	88.0%	88.0%	88.0%
BSE	MLHG - UCD With Queuing	Queuing	0.0%	88.0%	88.0%	88.0%
BSE	Three Way Call Transfer	User Transfer	0.0%	88.0%	88.0%	88.0%
BSE	Remote Call Forwarding	Foreign Exchange	0.0%	88.0%	88.0%	88.0%
BSE	Route Diversity	Diversity Routing	0.0%	88.0%	88.0%	88.0%
BSE	3rd No. Bllg Inhibited	Bldd No. Screen'g (BNS)	0.0%	88.0%	88.0%	88.0%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE		Prior Pkt Sw'd Ntw Suppl	0.0%	0.0%	0.0%	0.0%
BSE		MegaConnect Svc (SMDS)	0.0%	0.0%	0.0%	0.0%
BSE		MWI Actvtn Audbl Rng Brst	0.0%	88.0%	88.0%	88.0%
BSE	Hi Cap Hand-Off Svc	Controllink DCS	100.0%	100.0%	100.0%	100.0%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Pkt	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Derived Ch (Monitoring)	ScanAlert	0.0%	0.0%	0.0%	0.0%
CNS	Automatic Callback	Automatic Busy Redial	0.0%	88.0%	88.0%	88.0%
CNS	Automatic Recall	Automatic Call Return	0.0%	88.0%	88.0%	88.0%

SUMMARY FOR MARKET AREA: LA CROSSE

WI

Total Access Lines in: LA CROSSE Total = 5029

Percentage Availability of ONA Services By Date for LA CROSSE Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
CNS	CFBL Intraswitch	Call Fwd Bsy Li - Fixed	0.0%	88.0%	88.0%	88.0%
CNS	CFBL Interswitch	Call Fwd Bsy Li - Fixed	0.0%	0.0%	0.0%	0.0%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	0.0%	88.0%	88.0%	88.0%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	0.0%	88.0%	88.0%	88.0%
CNS	CFDA Intraswitch	Cl Fwd-No Ans-Fixed	0.0%	88.0%	88.0%	88.0%
CNS	CFDA Interswitch	Cl Fwd-No Ans-Fixed	0.0%	88.0%	88.0%	88.0%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	0.0%	88.0%	88.0%	88.0%
CNS	CF - Variable	Variable Cl Fwd'g	0.0%	88.0%	88.0%	88.0%
CNS	CF Var Act w/o Crtsty Cal	Variable Call Forwarding	0.0%	0.0%	0.0%	0.0%
CNS	CF VAR - Remote Act/Cont	Remote Access-CF Variable	0.0%	88.0%	88.0%	88.0%
CNS	Call Waiting - Cancel	Cancel Call Waiting	0.0%	88.0%	88.0%	88.0%
CNS	Clbg DA Deliv via BCLID	Clg No.ID Delivv CLASS	0.0%	88.0%	88.0%	88.0%
CNS	Customer Originated Trace	Call Tracing Service	0.0%	88.0%	88.0%	88.0%
CNS	Distinctive Ringing	VIP Alert	0.0%	88.0%	88.0%	88.0%
CNS	Dist Ring Term Screen	Smart Ring	0.0%	88.0%	88.0%	88.0%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	0.0%	88.0%	88.0%	88.0%
CNS	MWI-ATR Audible Msg Wtg	Receive Audible MWI	0.0%	88.0%	88.0%	88.0%
CNS	Selective Call Forward'g	Special Call Forwarding	0.0%	88.0%	88.0%	88.0%
CNS	Selective Call Rejection	Call Block	0.0%	88.0%	88.0%	88.0%
CNS	Speed Calling	Speed Clbg - 8 & 30 Nos.	0.0%	88.0%	88.0%	88.0%
CNS		Busy Number Redial	0.0%	88.0%	88.0%	88.0%
CNS		Saved Number Redial	0.0%	88.0%	88.0%	88.0%
CNS		Last Number Redial	0.0%	88.0%	88.0%	88.0%
CNS	Call Waiting	Call Waiting	0.0%	88.0%	88.0%	88.0%
CNS	Three Way Calling	Three Way Calling	0.0%	88.0%	88.0%	88.0%
CNS	Remote Call Forwarding	Remote Call Forwarding	0.0%	88.0%	88.0%	88.0%
CNS		Cl Fwd'g Fixed-All clls	0.0%	88.0%	88.0%	88.0%
CNS	CFBL/DA	Cl Fwd Bsy No Ans.Fixed	0.0%	88.0%	88.0%	88.0%
CNS		Special Call Waiting	0.0%	88.0%	88.0%	88.0%
CNS		Special Call Acceptance	0.0%	88.0%	88.0%	88.0%
CNS		Anonymous Call Rejection	0.0%	0.0%	0.0%	0.0%
CNS	3rd No. Bllg Inhibited	Bldd No. Screen'g (BNS)	0.0%	88.0%	88.0%	88.0%
CNS		Call Restriction Service	0.0%	88.0%	88.0%	88.0%
CNS		MWI Abl Rcv Adbl Rng Brst	0.0%	88.0%	88.0%	88.0%
CNS		GTE Dial Datalink	100.0%	100.0%	100.0%	100.0%
CNS		Cust.Controllable Ringing	0.0%	88.0%	88.0%	88.0%

SUMMARY FOR MARKET AREA: LAFAYETTE

IN

Total Access Lines in: LAFAYETTE Total = 50414

Percentage Availability of ONA Services By Date for LAFAYETTE Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	100.0%	100.0%	100.0%	100.0%
BSA	Type B - X.75 Pkt Sw	Pkt Sw Ntwk Svc	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	100.0%	100.0%	100.0%	100.0%
BSA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	100.0%	100.0%	100.0%	100.0%
BSA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	55.5%	55.5%	55.7%	55.8%
BSA	Dedicated Alert Transport	Alarm Signal	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	Type K - Ded 64kbps	Digital Data Svc DDS	0.0%	0.0%	0.0%	0.0%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw	100.0%	100.0%	100.0%	100.0%
BSE	Fast Select Accept Pkt	Fast Select	100.0%	100.0%	100.0%	100.0%
BSE	Fast Select Request Pkt	Fast Select	100.0%	100.0%	100.0%	100.0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Cld DN Deliv via DID	Direct Inward Dialing	0.0%	100.0%	100.0%	100.0%
BSE	Cllg Bllg Num Deliv PG B	Automatic No. ID	0.0%	100.0%	100.0%	100.0%
BSE	Cllg Bllg Num Deliv PG D	Automatic No. ID	0.0%	100.0%	100.0%	100.0%
BSE	Cllg DA Deliv via BCLID	Clg No.ID Delivv CLASS	0.0%	100.0%	100.0%	100.0%
BSE	CXR Select On Rvse Chrg	800 Service	0.0%	100.0%	100.0%	100.0%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	0.0%	100.0%	100.0%	100.0%
BSE	MWI- Activation Audible	MWI Audible	0.0%	100.0%	100.0%	100.0%
BSE	Multiline Hunt Group	Hunt Group Arrangement	0.0%	100.0%	100.0%	100.0%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	0.0%	100.0%	100.0%	100.0%
BSE	MLHG - UCD With Queuing	Queuing	0.0%	100.0%	100.0%	100.0%
BSE	Three Way Call Transfer	User Transfer	0.0%	100.0%	100.0%	100.0%
BSE	Remote Call Forwarding	Foreign Exchange	0.0%	100.0%	100.0%	100.0%
BSE	Route Diversity	Diversity Routing	0.0%	100.0%	100.0%	100.0%
BSE	3rd No. Bllg Inhibited	Bld No. Screen'g (BNS)	0.0%	100.0%	100.0%	100.0%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE		Prior Pkt Sw'd Ntw Suppl	0.0%	0.0%	0.0%	0.0%
BSE		MegaConnect Svc (SMDS)	0.0%	0.0%	0.0%	0.0%
BSE		MWI Actvtn Audbl Rng Brst	0.0%	100.0%	100.0%	100.0%
BSE	Hi Cap Hand-Off Svc	ControlLink DCS	100.0%	100.0%	100.0%	100.0%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Pkt	100.0%	100.0%	100.0%	100.0%
CNS	Fast Select Accept Pkt	Fast Select	100.0%	100.0%	100.0%	100.0%
CNS	Fast Select Request Pkt	Fast Select	100.0%	100.0%	100.0%	100.0%
CNS	Derived Ch (Monitoring)	ScanAlert	0.0%	0.0%	0.0%	0.0%
CNS	Automatic Callback	Automatic Busy Redial	0.0%	100.0%	100.0%	100.0%
CNS	Automatic Recall	Automatic Call Return	0.0%	100.0%	100.0%	100.0%

SUMMARY FOR MARKET AREA: LAFAYETTE

IN

Total Access Lines in: LAFAYETTE Total = 50414

Percentage Availability of ONA Services By Date for LAFAYETTE Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
CNS	CFBL Intrswitch	Call Fwd Bsy Li - Fixed	0.0%	100.0%	100.0%	100.0%
CNS	CFBL Interswitch	Call Fwd Bsy Li - Fixed	0.0%	24.4%	24.5%	24.7%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	0.0%	100.0%	100.0%	100.0%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	0.0%	100.0%	100.0%	100.0%
CNS	CFDA Intrswitch	Cl Fwd-No Ans-Fixed	0.0%	100.0%	100.0%	100.0%
CNS	CFDA Interswitch	Cl Fwd-No Ans-Fixed	0.0%	100.0%	100.0%	100.0%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	0.0%	100.0%	100.0%	100.0%
CNS	CF - Variable	Variable Cl Fwd'g	0.0%	100.0%	100.0%	100.0%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	0.0%	0.0%	0.0%	0.0%
CNS	CF VAR - Remote Act/Cont	Remote Access-CF Variable	0.0%	100.0%	100.0%	100.0%
CNS	Call Waiting - Cancel	Cancel Call Waiting	0.0%	100.0%	100.0%	100.0%
CNS	Clbg DA Deliv via BCLID	Clg No.ID Deliv CLASS	0.0%	100.0%	100.0%	100.0%
CNS	Customer Originated Trace	Call Tracing Service	0.0%	100.0%	100.0%	100.0%
CNS	Distinctive Ringing	VIP Alert	0.0%	100.0%	100.0%	100.0%
CNS	Dist Ring Term Screen	Smart Ring	0.0%	100.0%	100.0%	100.0%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	0.0%	100.0%	100.0%	100.0%
CNS	MWI-ATR Audible Msg Wtg	Receive Audible MWI	0.0%	100.0%	100.0%	100.0%
CNS	Selective Call Forward'g	Special Call Forwarding	0.0%	100.0%	100.0%	100.0%
CNS	Selective Call Rejection	Call Block	0.0%	100.0%	100.0%	100.0%
CNS	Speed Calling	Speed Clbg - 8 & 30 Nos.	0.0%	100.0%	100.0%	100.0%
CNS		Busy Number Redial	0.0%	100.0%	100.0%	100.0%
CNS		Saved Number Redial	0.0%	100.0%	100.0%	100.0%
CNS		Last Number Redial	0.0%	100.0%	100.0%	100.0%
CNS	Call Waiting	Call Waiting	0.0%	100.0%	100.0%	100.0%
CNS	Three Way Calling	Three Way Calling	0.0%	100.0%	100.0%	100.0%
CNS	Remote Call Forwarding	Remote Call Forwarding	0.0%	100.0%	100.0%	100.0%
CNS		Clb Frwd'g Fixed-All clls	0.0%	100.0%	100.0%	100.0%
CNS	CFBL/DA	Clb Frwd Bsy No Ans.Fixed	0.0%	100.0%	100.0%	100.0%
CNS		Special Call Waiting	0.0%	100.0%	100.0%	100.0%
CNS		Special Call Acceptance	0.0%	100.0%	100.0%	100.0%
CNS		Anonymous Call Rejection	0.0%	24.4%	24.5%	24.7%
CNS	3rd No. Bllg Inhibited	Blld No. Screen'g (BNS)	0.0%	100.0%	100.0%	100.0%
CNS		Call Restriction Service	0.0%	100.0%	100.0%	100.0%
CNS		MWI Abl Rcv Adbl Rng Brst	0.0%	100.0%	100.0%	100.0%
CNS		GTE Dial Datalink	100.0%	100.0%	100.0%	100.0%
CNS		Cust.Controllable Ringing	0.0%	100.0%	100.0%	100.0%

SUMMARY FOR MARKET AREA: LAKE LAND

FL

Total Access Lines in: LAKE LAND Total = 234541

Percentage Availability of ONA Services By Date for LAKE LAND Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	87.7%	87.7%	87.7%	87.7%
BSA	Type B - X.75 Pkt Sw	Pkt Sw Ntwk Svc	87.7%	87.7%	87.7%	87.7%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	94.3%	94.1%	93.8%	93.5%
BSA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	95.3%	95.3%	95.3%	95.3%
BSA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	56.8%	56.2%	55.7%	55.2%
BSA	Dedicated Alert Transport	Alarm Signal	97.7%	97.7%	97.7%	97.7%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	Type K - Ded 64kbps	Digital Data Svc DDS	28.8%	28.5%	28.3%	28.0%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw	100.0%	100.0%	100.0%	100.0%
BSE	Fast Select Accept Pkt	Fast Select	87.7%	87.7%	87.7%	87.7%
BSE	Fast Select Request Pkt	Fast Select	87.7%	87.7%	87.7%	87.7%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Cld DN Deliv via DID	Direct Inward Dialing	100.0%	100.0%	100.0%	100.0%
BSE	Cllg Bllg Num Deliv FG B	Automatic No. ID	100.0%	100.0%	100.0%	100.0%
BSE	Cllg Bllg Num Deliv FG D	Automatic No. ID	100.0%	100.0%	100.0%	100.0%
BSE	Cllg DA Deliv via BCLID	Clg No.ID Deliv CLASS	93.4%	93.5%	93.5%	93.6%
BSE	CXR Select On Rvse Charg	800 Service	100.0%	100.0%	100.0%	100.0%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	93.4%	93.5%	93.5%	93.6%
BSE	MWI- Activation Audible	MWI Audible	93.4%	93.5%	93.5%	93.6%
BSE	Multiline Hunt Group	Hunt Group Arrangement	100.0%	100.0%	100.0%	100.0%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	93.4%	93.5%	93.5%	93.6%
BSE	MLHG - UCD With Queuing	Queuing	93.4%	93.5%	93.5%	93.6%
BSE	Three Way Call Transfer	User Transfer	93.4%	93.5%	93.5%	93.6%
BSE	Remote Call Forwarding	Foreign Exchange	100.0%	100.0%	100.0%	100.0%
BSE	Route Diversity	Diversity Routing	100.0%	100.0%	100.0%	100.0%
BSE	3rd No. Bllg Inhibited	Bld No. Screen'g (BNS)	100.0%	100.0%	100.0%	100.0%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE		Prior Pkt Sw'd Ntw Suppl	12.2%	12.1%	12.0%	11.8%
BSE		MegaConnect Svc (SMDS)	0.0%	0.0%	0.0%	0.0%
BSE		MWI Actvtn Audbl Rng Brst	81.2%	81.4%	81.5%	81.7%
BSE	Hi Cap Hand-Off Svc	ControlLink DCS	100.0%	100.0%	100.0%	100.0%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Pkt	87.7%	87.7%	87.7%	87.7%
CNS	Fast Select Accept Pkt	Fast Select	87.7%	87.7%	87.7%	87.7%
CNS	Fast Select Request Pkt	Fast Select	87.7%	87.7%	87.7%	87.7%
CNS	Derived Ch (Monitoring)	ScanAlert	79.7%	79.3%	79.0%	78.6%
CNS	Automatic Callback	Automatic Busy Redial	93.4%	93.5%	93.5%	93.6%
CNS	Automatic Recall	Automatic Call Return	93.4%	93.5%	93.5%	93.6%

SUMMARY FOR MARKET AREA: LAKELAND

FL

Total Access Lines in: LAKELAND Total = 234541

Percentage Availability of ONA Services By Date for LAKELAND Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
CNS	CFBL Intrswitch	Call Fwd Bsy Li - Fixed	100.0%	100.0%	100.0%	100.0%
CNS	CFBL Interswitch	Call Fwd Bsy Li - Fixed	18.8%	18.6%	18.5%	18.3%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	100.0%	100.0%	100.0%	100.0%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	100.0%	100.0%	100.0%	100.0%
CNS	CFDA Intrswitch	Cl Fwd-No Ans-Fixed	100.0%	100.0%	100.0%	100.0%
CNS	CFDA Interswitch	Cl Fwd-No Ans-Fixed	100.0%	100.0%	100.0%	100.0%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	93.4%	93.5%	93.5%	93.6%
CNS	CF - Variable	Variable Cl Fwd'g	100.0%	100.0%	100.0%	100.0%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	0.0%	0.0%	0.0%	0.0%
CNS	CF VAR - Remote Act/Cont	Remote Access-CF Variable	93.4%	93.5%	93.5%	93.6%
CNS	Call Waiting - Cancel	Cancel Call Waiting	93.4%	93.5%	93.5%	93.6%
CNS	Clig DA Deliv via BCLID	Clg No.ID Deliv CLASS	93.4%	93.5%	93.5%	93.6%
CNS	Customer Originated Trace	Call Tracing Service	93.4%	93.5%	93.5%	93.6%
CNS	Distinctive Ringing	VIP Alert	93.4%	93.5%	93.5%	93.6%
CNS	Dist Ring Term Screen	Smart Ring	93.4%	93.5%	93.5%	93.6%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	100.0%	100.0%	100.0%	100.0%
CNS	MWI-ATR Audible Msg Wtg	Receive Audible MWI	93.4%	93.5%	93.5%	93.6%
CNS	Selective Call Forward'g	Special Call Forwarding	93.4%	93.5%	93.5%	93.6%
CNS	Selective Call Rejection	Call Block	93.4%	93.5%	93.5%	93.6%
CNS	Speed Calling	Speed Clig - 8 & 30 Nos.	100.0%	100.0%	100.0%	100.0%
CNS		Busy Number Redial	93.4%	93.5%	93.5%	93.6%
CNS		Saved Number Redial	81.2%	81.4%	81.5%	81.7%
CNS		Last Number Redial	93.4%	93.5%	93.5%	93.6%
CNS	Call Waiting	Call Waiting	100.0%	100.0%	100.0%	100.0%
CNS	Three Way Calling	Three Way Calling	100.0%	100.0%	100.0%	100.0%
CNS	Remote Call Forwarding	Remote Call Forwarding	100.0%	100.0%	100.0%	100.0%
CNS		Cl Fwd'g Fixed-All clls	100.0%	100.0%	100.0%	100.0%
CNS	CFBL/DA	Cl Fwd Bsy No Ans.Fixed	100.0%	100.0%	100.0%	100.0%
CNS		Special Call Waiting	93.4%	93.5%	93.5%	93.6%
CNS		Special Call Acceptance	93.4%	93.5%	93.5%	93.6%
CNS		Anonymous Call Rejection	12.2%	12.1%	12.0%	11.8%
CNS	3rd No. Bllg Inhibited	Bld No. Screen'g (BNS)	100.0%	100.0%	100.0%	100.0%
CNS		Call Restriction Service	100.0%	100.0%	100.0%	100.0%
CNS		MWI Abl Rcv Adbl Rng Brst	81.2%	81.4%	81.5%	81.7%
CNS		GTE Dial Datalink	100.0%	100.0%	100.0%	100.0%
CNS		Cust Controllable Ringing	81.2%	81.4%	81.5%	81.7%

SUMMARY FOR MARKET AREA: LANSING

MI

Total Access Lines in: LANSING Total = 40447

Percentage Availability of ONA Services By Date for LANSING Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Type B - X.75 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	94.0%	94.0%	94.1%	94.1%
BSA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	73.9%	74.0%	74.0%	74.1%
BSA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	2.7%	2.7%	2.7%	2.7%
BSA	Dedicated Alert Transport	Alarm Signal	58.4%	58.5%	58.6%	58.7%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	Type K - Ded 64kbps	Digital Data Svc DDS	0.0%	0.0%	0.0%	0.0%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw	100.0%	100.0%	100.0%	100.0%
BSE	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Cld DN Deliv via DID	Direct Inward Dialing	50.2%	50.1%	77.2%	77.3%
BSE	Cllg Bllg Num Deliv FG B	Automatic No. ID	50.2%	50.1%	77.2%	77.3%
BSE	Cllg Bllg Num Deliv FG D	Automatic No. ID	63.4%	63.3%	90.4%	90.5%
BSE	Cllg DA Deliv via BCLID	Clg No.ID Delivv CLASS	63.4%	63.3%	90.4%	90.5%
BSE	CXR Select On Ryse Chrg	800 Service	50.2%	50.1%	77.2%	77.3%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	63.4%	63.3%	90.4%	90.5%
BSE	MWI- Activation Audible	MWI Audible	63.4%	63.3%	90.4%	90.5%
BSE	Multiline Hunt Group	Hunt Group Arrangement	63.4%	63.3%	90.4%	90.5%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	63.4%	63.3%	90.4%	90.5%
BSE	MLHG - UCD With Queuing	Queuing	50.2%	50.1%	77.2%	77.3%
BSE	Three Way Call Transfer	User Transfer	63.4%	63.3%	90.4%	90.5%
BSE	Remote Call Forwarding	Foreign Exchange	63.4%	63.3%	90.4%	90.5%
BSE	Route Diversity	Diversity Routing	50.2%	50.1%	77.2%	77.3%
BSE	3rd No. Bllg Inhibited	Bldd No. Screen'g (BNS)	63.4%	63.3%	90.4%	90.5%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE		Prior Pkt Sw'd Ntw Suppl	28.9%	29.0%	29.2%	29.4%
BSE		MegaConnect Svc (SMDS)	0.0%	0.0%	0.0%	0.0%
BSE		MWI Actvtn Audbl Rng Brst	0.0%	0.0%	27.0%	27.1%
BSE	Hi Cap Hand-Off Svc	ControlLink DCS	100.0%	100.0%	100.0%	100.0%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Pkt	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Derived Ch (Monitoring)	ScanAlert	0.0%	0.0%	0.0%	0.0%
CNS	Automatic Callback	Automatic Busy Redial	63.4%	63.3%	90.4%	90.5%
CNS	Automatic Recall	Automatic Call Return	63.4%	63.3%	90.4%	90.5%

SUMMARY FOR MARKET AREA: LANSING

MI

Total Access Lines in: LANSING Total = 40447

Percentage Availability of ONA Services By Date for LANSING Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
CNS	CFBL Intraswitch	Call Fwd Bsy Li - Fixed	63.4%	63.3%	90.4%	90.5%
CNS	CFBL Interswitch	Call Fwd Bsy Li - Fixed	63.4%	63.3%	63.4%	63.4%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	63.4%	63.3%	90.4%	90.5%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	63.4%	63.3%	90.4%	90.5%
CNS	CFDA Intraswitch	Cl Fwd-No Ans-Fixed	63.4%	63.3%	90.4%	90.5%
CNS	CFDA Interswitch	Cl Fwd-No Ans-Fixed	63.4%	63.3%	90.4%	90.5%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	50.2%	50.1%	77.2%	77.3%
CNS	CF - Variable	Variable Cl Fwd'g	63.4%	63.3%	90.4%	90.5%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	28.9%	29.0%	29.2%	29.4%
CNS	CF VAR - Remote Act/Cont	Remote Access-CF Variable	63.4%	63.3%	90.4%	90.5%
CNS	Call Waiting - Cancel	Cancel Call Waiting	63.4%	63.3%	90.4%	90.5%
CNS	Clg DA Deliv via BCLID	Clg No.ID Delivv CLASS	63.4%	63.3%	90.4%	90.5%
CNS	Customer Originated Trace	Call Tracing Service	63.4%	63.3%	90.4%	90.5%
CNS	Distinctive Ringing	VIP Alert	63.4%	63.3%	90.4%	90.5%
CNS	Dist Ring Term Screen	Smart Ring	63.4%	63.3%	90.4%	90.5%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	63.4%	63.3%	90.4%	90.5%
CNS	MWI-ATR Audible Msg Wtg	Receive Audible MWI	42.1%	42.3%	69.5%	69.8%
CNS	Selective Call Forward'g	Special Call Forwarding	63.4%	63.3%	90.4%	90.5%
CNS	Selective Call Rejection	Call Block	63.4%	63.3%	90.4%	90.5%
CNS	Speed Calling	Speed Clg - 8 & 30 Nos.	63.4%	63.3%	90.4%	90.5%
CNS		Busy Number Redial	63.4%	63.3%	90.4%	90.5%
CNS		Saved Number Redial	21.3%	21.0%	47.9%	47.9%
CNS		Last Number Redial	63.4%	63.3%	90.4%	90.5%
CNS	Call Waiting	Call Waiting	63.4%	63.3%	90.4%	90.5%
CNS	Three Way Calling	Three Way Calling	63.4%	63.3%	90.4%	90.5%
CNS	Remote Call Forwarding	Remote Call Forwarding	63.4%	63.3%	90.4%	90.5%
CNS		Cl Fwd'g Fixed-All clls	63.4%	63.3%	90.4%	90.5%
CNS	CFBL/DA	Cl Fwd Bsy No Ans.Fixed	63.4%	63.3%	90.4%	90.5%
CNS		Special Call Waiting	34.5%	34.3%	61.2%	61.1%
CNS		Special Call Acceptance	34.5%	34.3%	61.2%	61.1%
CNS		Anonymous Call Rejection	13.2%	13.2%	13.3%	13.3%
CNS	3rd No. Bllg Inhibited	Bllld No. Screen'g (BNS)	63.4%	63.3%	90.4%	90.5%
CNS		Call Restriction Service	63.4%	63.3%	90.4%	90.5%
CNS		MWI Abl Rcv Adbl Rng Brst	0.0%	0.0%	27.0%	27.1%
CNS		GTE Dial Datalink	100.0%	100.0%	100.0%	100.0%
CNS		Cust.Controllable Ringing	63.4%	63.3%	90.4%	90.5%

SUMMARY FOR MARKET AREA: LAWTON

OK

Total Access Lines in: LAWTON Total = 421

Percentage Availability of ONA Services By Date for LAWTON Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Type B - X.75 PKT Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	0.0%	0.0%	0.0%	0.0%
BSA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	0.0%	0.0%	0.0%	0.0%
BSA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Alert Transport	Alarm Signal	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	Type K - Ded 64kbps	Digital Data Svc DDS	0.0%	0.0%	0.0%	0.0%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw	100.0%	100.0%	100.0%	100.0%
BSE	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Cld DN Deliv via DID	Direct Inward Dialing	0.0%	0.0%	0.0%	0.0%
BSE	Cllg Bllg Num Deliv FG B	Automatic No. ID	0.0%	0.0%	0.0%	0.0%
BSE	Cllg Bllg Num Deliv FG D	Automatic No. ID	100.0%	100.0%	100.0%	100.0%
BSE	Cllg DA Deliv via BCLID	Clg No.ID Delivly CLASS	100.0%	100.0%	100.0%	100.0%
BSE	CXR Select On Rvse Chrg	800 Service	0.0%	0.0%	0.0%	0.0%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	100.0%	100.0%	100.0%	100.0%
BSE	MWI- Activation Audible	MWI Audible	100.0%	100.0%	100.0%	100.0%
BSE	Multiline Hunt Group	Hunt Group Arrangement	100.0%	100.0%	100.0%	100.0%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	100.0%	100.0%	100.0%	100.0%
BSE	MLHG - UCD With Queuing	Queuing	0.0%	0.0%	0.0%	0.0%
BSE	Three Way Call Transfer	User Transfer	100.0%	100.0%	100.0%	100.0%
BSE	Remote Call Forwarding	Foreign Exchange	100.0%	100.0%	100.0%	100.0%
BSE	Route Diversity	Diversity Routing	0.0%	0.0%	0.0%	0.0%
BSE	3rd No. Bllg Inhibited	Bldd No. Screen'g (BNS)	100.0%	100.0%	100.0%	100.0%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE		Prior Pkt Sw'd Ntw Suppl	0.0%	0.0%	0.0%	0.0%
BSE		MegaConnect Svc (SMDS)	0.0%	0.0%	0.0%	0.0%
BSE		MWI Actvtn Audbl Rng Brst	0.0%	0.0%	0.0%	0.0%
BSE	Hi Cap Hand-Off Svc	ControlLink DCS	100.0%	100.0%	100.0%	100.0%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Pkt	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Derived Ch (Monitoring)	ScanAlert	0.0%	0.0%	0.0%	0.0%
CNS	Automatic Callback	Automatic Busy Redial	100.0%	100.0%	100.0%	100.0%
CNS	Automatic Recall	Automatic Call Return	100.0%	100.0%	100.0%	100.0%

SUMMARY FOR MARKET AREA: LAWTON

OK

Total Access Lines in: LAWTON

Total =

421

Percentage Availability of ONA Services By Date for LAWTON

Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
CNS	CFBL Intrswitch	Call Fwd Bsy Li - Fixed	100.0%	100.0%	100.0%	100.0%
CNS	CFBL Interswitch	Call Fwd Bsy Li - Fixed	100.0%	100.0%	100.0%	100.0%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	100.0%	100.0%	100.0%	100.0%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	100.0%	100.0%	100.0%	100.0%
CNS	CFDA Intrswitch	Cl Fwd-No Ans-Fixed	100.0%	100.0%	100.0%	100.0%
CNS	CFDA Interswitch	Cl Fwd-No Ans-Fixed	100.0%	100.0%	100.0%	100.0%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	0.0%	0.0%	0.0%	0.0%
CNS	CF - Variable	Variable Cl Fwd'g	100.0%	100.0%	100.0%	100.0%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	0.0%	0.0%	0.0%	0.0%
CNS	CF VAR - Remote Act/Cont	Remote Access-CF Variable	100.0%	100.0%	100.0%	100.0%
CNS	Call Waiting - Cancel	Cancel Call Waiting	100.0%	100.0%	100.0%	100.0%
CNS	Clig DA Deliv via BCLID	Clg No.ID Delivv CLASS	100.0%	100.0%	100.0%	100.0%
CNS	Customer Originated Trace	Call Tracing Service	100.0%	100.0%	100.0%	100.0%
CNS	Distinctive Ringing	VIP Alert	100.0%	100.0%	100.0%	100.0%
CNS	Dist Ring Term Screen	Smart Ring	100.0%	100.0%	100.0%	100.0%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	100.0%	100.0%	100.0%	100.0%
CNS	MWI-ATR Audible Msg Wtg	Receive Audible MWI	100.0%	100.0%	100.0%	100.0%
CNS	Selective Call Forward'g	Special Call Forwarding	100.0%	100.0%	100.0%	100.0%
CNS	Selective Call Rejection	Call Block	100.0%	100.0%	100.0%	100.0%
CNS	Speed Calling	Speed Clig - 8 & 30 Nos.	100.0%	100.0%	100.0%	100.0%
CNS		Busy Number Redial	100.0%	100.0%	100.0%	100.0%
CNS		Saved Number Redial	0.0%	0.0%	0.0%	0.0%
CNS		Last Number Redial	100.0%	100.0%	100.0%	100.0%
CNS	Call Waiting	Call Waiting	100.0%	100.0%	100.0%	100.0%
CNS	Three Way Calling	Three Way Calling	100.0%	100.0%	100.0%	100.0%
CNS	Remote Call Forwarding	Remote Call Forwarding	100.0%	100.0%	100.0%	100.0%
CNS		Cl1 Frwd'g Fixed-All clls	100.0%	100.0%	100.0%	100.0%
CNS	CFBL/DA	Cl1 Frwd Bsy No Ans.Fixed	100.0%	100.0%	100.0%	100.0%
CNS		Special Call Waiting	100.0%	100.0%	100.0%	100.0%
CNS		Special Call Acceptance	100.0%	100.0%	100.0%	100.0%
CNS		Anonymous Call Rejection	100.0%	100.0%	100.0%	100.0%
CNS	3rd No. Bllg Inhibited	Blld No. Screen'g (BNS)	100.0%	100.0%	100.0%	100.0%
CNS		Call Restriction Service	100.0%	100.0%	100.0%	100.0%
CNS		MWI Abl Rcv Adbl Rng Brst	0.0%	0.0%	0.0%	0.0%
CNS		GTE Dial Datalink	100.0%	100.0%	100.0%	100.0%
CNS		Cust Controllable Ringing	100.0%	100.0%	100.0%	100.0%

SUMMARY FOR MARKET AREA: LEXINGTON

KY

Total Access Lines in: LEXINGTON Total = 188540

Percentage Availability of ONA Services By Date for LEXINGTON Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	55.0%	54.7%	54.4%	54.1%
BSA	Type B - X.75 Pkt Sw	Pkt Sw Ntwk Svc	55.0%	54.7%	54.4%	54.1%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	91.8%	91.9%	92.1%	92.2%
BSA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	92.3%	92.5%	92.6%	92.7%
BSA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	78.0%	78.2%	78.4%	78.6%
BSA	Dedicated Alert Transport	Alarm Signal	92.3%	92.5%	92.6%	92.7%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	Type K - Ded 64kbps	Digital Data Svc DDS	31.2%	31.0%	30.7%	30.5%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw	100.0%	100.0%	100.0%	100.0%
BSE	Fast Select Accept Pkt	Fast Select	55.0%	54.7%	54.4%	54.1%
BSE	Fast Select Request Pkt	Fast Select	55.0%	54.7%	54.4%	54.1%
BSE	Acc To Ctr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Cld DN Deliv via DID	Direct Inward Dialing	18.6%	23.5%	100.0%	100.0%
BSE	Cllg Bllg Num Deliv FG B	Automatic No. ID	18.6%	23.5%	100.0%	100.0%
BSE	Cllg Bllg Num Deliv FG D	Automatic No. ID	18.6%	23.5%	100.0%	100.0%
BSE	Cllg DA Deliv via BCLID	Clg No.ID Deliv CLASS	14.5%	14.7%	91.2%	91.2%
BSE	CXR Select On Rvse Chrg	800 Service	18.6%	23.5%	100.0%	100.0%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	14.5%	14.7%	91.2%	91.2%
BSE	MWI- Activation Audible	MWI Audible	14.5%	14.7%	91.2%	91.2%
BSE	Multiline Hunt Group	Hunt Group Arrangement	18.6%	23.5%	100.0%	100.0%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	18.6%	18.8%	95.3%	95.2%
BSE	MLHG - UCD With Queuing	Queuing	18.6%	18.8%	95.3%	95.2%
BSE	Three Way Call Transfer	User Transfer	18.6%	18.8%	95.3%	95.2%
BSE	Remote Call Forwarding	Foreign Exchange	18.6%	23.5%	100.0%	100.0%
BSE	Route Diversity	Diversity Routing	18.6%	23.5%	100.0%	100.0%
BSE	3rd No. Bllg Inhibited	Bld No. Screen'g (BNS)	18.6%	23.5%	100.0%	100.0%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE		Prior Pkt Sw'd Ntw Suppl	14.5%	14.7%	15.3%	15.3%
BSE		MegaConnect Svc (SMDS)	27.4%	27.3%	27.2%	27.2%
BSE		MWI Actvtn Audbl Rng Brst	0.0%	0.0%	76.0%	75.9%
BSE	Hi Cap Hand-Off Svc	Controllink DCS	100.0%	100.0%	100.0%	100.0%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Pkt	55.0%	54.7%	54.4%	54.1%
CNS	Fast Select Accept Pkt	Fast Select	55.0%	54.7%	54.4%	54.1%
CNS	Fast Select Request Pkt	Fast Select	55.0%	54.7%	54.4%	54.1%
CNS	Derived Ch (Monitoring)	ScanAlert	0.0%	0.0%	0.0%	0.0%
CNS	Automatic Callback	Automatic Busy Redial	18.6%	18.8%	95.3%	95.2%
CNS	Automatic Recall	Automatic Call Return	18.6%	18.8%	95.3%	95.2%

SUMMARY FOR MARKET AREA: LEXINGTON

KY

Total Access Lines in: LEXINGTON Total = 188540

Percentage Availability of ONA Services By Date for LEXINGTON Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
CNS	CFBL Intraswitch	Call Fwd Bsy Li - Fixed	18.6%	23.5%	100.0%	100.0%
CNS	CFBL Interswitch	Call Fwd Bsy Li - Fixed	18.6%	23.5%	100.0%	100.0%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	18.6%	23.5%	100.0%	100.0%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	18.6%	23.5%	100.0%	100.0%
CNS	CFDA Intraswitch	Cl Fwd-No Ans-Fixed	18.6%	23.5%	100.0%	100.0%
CNS	CFDA Interswitch	Cl Fwd-No Ans-Fixed	18.6%	23.5%	100.0%	100.0%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	18.6%	18.8%	95.3%	95.2%
CNS	CF - Variable	Variable Cl Fwd'g	18.6%	23.5%	100.0%	100.0%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	18.6%	18.8%	19.3%	19.3%
CNS	CF VAR - Remote Act/Cont	Remote Access-CF Variable	14.5%	14.7%	91.2%	91.2%
CNS	Call Waiting - Cancel	Cancel Call Waiting	18.6%	18.8%	95.3%	95.2%
CNS	Clg DA Deliv via BCLID	Clg No.ID Delivv CLASS	14.5%	14.7%	91.2%	91.2%
CNS	Customer Originated Trace	Call Tracing Service	18.6%	18.8%	95.3%	95.2%
CNS	Distinctive Ringing	VIP Alert	18.6%	18.8%	95.3%	95.2%
CNS	Dist Ring Term Screen	Smart Ring	18.6%	18.8%	95.3%	95.2%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	18.6%	23.5%	100.0%	100.0%
CNS	MWI-ATR Audible Msg Wtg	Receive Audible MWI	14.5%	14.7%	91.2%	91.2%
CNS	Selective Call Forward'g	Special Call Forwarding	18.6%	18.8%	95.3%	95.2%
CNS	Selective Call Rejection	Call Block	18.6%	18.8%	95.3%	95.2%
CNS	Speed Calling	Speed Clg - 8 & 30 Nos.	18.6%	23.5%	100.0%	100.0%
CNS		Busy Number Redial	18.6%	18.8%	95.3%	95.2%
CNS		Saved Number Redial	0.0%	0.0%	76.0%	75.9%
CNS		Last Number Redial	18.6%	18.8%	95.3%	95.2%
CNS	Call Waiting	Call Waiting	18.6%	23.5%	100.0%	100.0%
CNS	Three Way Calling	Three Way Calling	18.6%	23.5%	100.0%	100.0%
CNS	Remote Call Forwarding	Remote Call Forwarding	18.6%	23.5%	100.0%	100.0%
CNS		Cl Fwd'g Fixed-All clls	18.6%	23.5%	100.0%	100.0%
CNS	CFBL/DA	Cl Fwd Bsy No Ans.Fixed	18.6%	23.5%	100.0%	100.0%
CNS		Special Call Waiting	4.0%	4.1%	80.0%	80.0%
CNS		Special Call Acceptance	4.0%	4.1%	80.0%	80.0%
CNS		Anonymous Call Rejection	4.0%	4.1%	80.0%	80.0%
CNS	3rd No. Bllg Inhibited	Blld No. Screen'g (BNS)	18.6%	23.5%	100.0%	100.0%
CNS		Call Restriction Service	18.6%	23.5%	100.0%	100.0%
CNS		MWI Abl Rcv Adbl Rng Brst	0.0%	0.0%	76.0%	75.9%
CNS		GTE Dial Datalink	100.0%	100.0%	100.0%	100.0%
CNS		Cust.Controllable Ringing	18.6%	18.8%	95.3%	95.2%